

MODEL/PART DESIGNATIONS


MODEL	DESCRIPTION
<i>PUREZZA FIZZ 80 900583</i>	Carbonation Chiller with Integrated Taps

SPECIFICATIONS

ITEM	SPECIFICATION
Ice Bank Capacity	14 Liters (3.7 Gallons)
Cooling Capacity	80 Liters per Hour (20 Gallons per Hour)
Cold Water Temperature	Adjustable - 3° - 10°C (37.4° - 50° F)
Water Connection	3/8" Inlet Water Pipe
Recommended Service Pressure	14.5 -51 psi (.10 MPa – 0.35 MPa) – Use Pressure Regulator *specification label on back of machine states 51/58 psi (which one is correct?)
Incoming Flow Rate	>0.8 Gallons per Minute Minimum of 0.8 is recommended to enhance the quality of the sparkling water dispensed
Rated Service Flow	>0.8 Gallons per Minute
Maximum Service Pressure	100 psi (689 kPa) – Use Pressure Regulator
Environmental Temperature	16°C (32°F) to 32°C (90°F)
Refrigerant Gas	R134a, 150 grams (5.290 ounces)
R134a Pressures	High (341 psig), Low (88 psig)

SHIPPING SPECIFICATIONS

<u>ITEM</u>	<u>UNIT</u>	<u>SHIPPING BOX</u>
Width/Depth/Height	360 x 566 x 570 mm 14.2 x 22.3 x 22.4 Inches	420 x 590 x 720 mm 16.5 x 23.2 x 28.3 inches
Weight (dry)	27 kg (59 pounds)	30 kg (66 pounds)



ELECTRICAL SPECIFICATIONS

ELECTRICAL SUPPLY	120V/60Hz, 1PH	15 Amp Service
Certified to UL-399 and CSA Standard C22.2 No. 120	POWER (approximate)	AMP DRAW (approximate)
	330 Watts	3.20 Amps